


## **Historic, Archive Document**

**Do not assume content reflects current scientific knowledge, policies, or practices.**



1072.63



# Biltmore Nursery

WHOLESALE TRADE-LIST

SEASON OF 1904-1905



# BILTMORE NURSERY

## BILTMORE, NORTH CAROLINA

**THE BILTMORE NURSERY** was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue, or trade-list, was issued. In this, our sixth published price-list, is offered all of the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents; our entire business being transacted from our office at Biltmore, North Carolina.

**OUR LOCATION** is in the heart of the mountains of western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90° above to 12° below zero. The variations in temperature peculiar to the Southern Alleghany region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a

**QUALITY OF STOCK** unusually good in root-formation, thriftiness and hardiness. All our stock is nursery-grown; we do not offer cheap, collected plants.

**LANDSCAPE ARCHITECTS** will find our stock particularly suited to the demands of forest, park and suburban planting.

**PROPAGATING CAPACITY.** Our greenhouses and coldframes cover an area of 60,000 square feet, which, in connection with seed-beds of more than six acres' extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings and transplanted plants.

**NURSERYMEN** will find the small plants particularly valuable for transplanting into nursery rows.

**A CERTIFICATE** from the State Entomologist will be sent with each shipment. The stock of the Biltmore Nursery was inspected on the 18th day of August, 1904, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.

**FUMIGATING HOUSE.** We are prepared to fumigate with hydrocyanic acid gas all or any nursery stock when such request accompanies order.

**PACKING.** The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:

**BOXES,** including packing and delivery to freight or express depots:

14 feet long, 30 x 30 inches	\$3.25 each.
12 " " 30 x 30 "	3.00 "
10 " " 30 x 30 "	2.75 "
8 " " 30 x 30 "	2.50 "
6 " " 24 x 24 "	1.85 "

**BALES**, according to size, including delivery to nearest station, 15 cents to \$2.50.

**DIRECTIONS FOR SHIPPING.** In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.

**OUR RESPONSIBILITY.** All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery or condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the invoice price of the goods.

**CLAIMS.** Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay. All claims must be filed within ten days after arrival of shipments.

**RATES.** The prices in this list supersede all previous rates and apply to quantities specified, but two hundred and fifty will be furnished at the thousand rate, twenty-five at the hundred rate, and five at the ten rate. Special discounts given on very large orders. .

**TERMS CASH** on or before delivery to forwarding agents, except that we extend credit to responsible patrons by agreement, subject to the following limitations:—Invoices executed during the autumn are due and payable on or before the 31st day of December following: those covering spring shipments are due and payable on or before June 1, 1905.

**PACKING SEASON.** We ship from October 1 to May 1, with slight interruptions during midwinter.

**FREIGHT RATES** in effect October 1, 1904, from Biltmore to several points are here shown.

ROUTE	—PER HUNDRED POUNDS TO—							
	BALTIMORE,		PHILADELPHIA,		NEW YORK,		PROVIDENCE AND	
	MD.		PA.		N. Y.		BOSTON.	
	CL	LCL	CL	LCL	CL	LCL	CL	LCL
Rail and Water	37	50	40	55	40	55	45	60
All Rail . . . .	42	58	45	63	45	63	50	68

**Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.**

Address all communications to

## BILTMORE NURSERY

Buncombe County

Biltmore, North Carolina

## TREES

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted

		Height	Per 10	100	1,000
<b>Abies douglasii.</b>	See <b>Pseudotsuga mucronata.</b>				
<b>Acer glabrum,</b>	Dwarf, or Rocky Mountain Maple				
	twice tr.	1 ft.	\$1 00	\$7 50	
"	<b>japonicum,</b> Japanese Maple . . . . . tr.	1½ to 2 ft.	1 50	12 50	
"	<b>leucoderme,</b> White-barked Maple . . . . . tr.	1½ to 2½ ft.	1 50	12 50	
"	<b>negundo</b> ( <i>Negundo aceroides</i> ), Ash-leaved Maple . . . . . tr.	2 to 3 ft.	50	3 50	
"	" . . . . . tr.	4 to 5 ft.	75	5 00	
"	<b>niigrum,</b> Black Sugar Maple . . . . . tr.	1½ to 2½ ft.	50	4 00	
"	" . . . . . tr.	2½ to 3½ ft.	75	5 00	
"	<b>rubrum,</b> Red Maple . . . . . tr.	2½ to 3½ ft.	1 25	10 00	
"	<b>saccharinum</b> ( <i>A. dasycarpum</i> ), Silver Maple. tr.	5 to 7 ft.	1 25	10 00	
"	<b>saccharum,</b> Sugar Maple . . . . . tr.	6 to 12 in.	25	2 00	\$15 00
"	" . . . . . tr.	3 to 4 ft.	1 00	8 75	
"	<b>spicatum,</b> Mountain Maple . . . . . tr.	1½ to 2½ ft.	1 00	8 00	
"	<b>tataricum,</b> Tartarian Maple . . . . . tr.	1 to 2 ft.	1 00	8 00	75 00
<b>Alnus incana,</b>	Speckled or Hoary Alder . . . . . tr.	5 to 6 ft.	1 00	8 00	
<b>Betula lutea,</b>	Yellow Birch . . . . . tr.	1 to 2 ft.	50	4 00	
"	" . . . . . tr.	2½ to 3½ ft.	75	6 00	50 00
"	" . . . . . tr.	5 to 6 ft.	1 00	8 00	75 00
"	<b>nigra,</b> River Birch . . . . . tr.	4 to 5 ft.	1 00	8 00	
<b>Biota.</b>	See <b>Thuja.</b>				
<b>Carpinus caroliniana,</b>	American Hornbeam. twice tr.	3 to 4 ft.	2 00	17 50	
<b>Carya.</b>	See <b>Hicoria.</b>				
<b>Catalpa speciosa,</b>	Western Catalpa . . . . . tr.	2 to 2½ ft.	60	5 00	
"	" . . . . . tr.	4 to 5 ft.	75	6 75	
<b>Cedrus deodara,</b>	Indian Cedar . . . . . twice tr.	6 to 12 in.	1 50		
"	" . . . . . twice tr.	1 to 1½ ft.	2 50	22 50	
<b>Celtis chinensis,</b>	Chinese Hackberry . . . . . tr.	2 to 3 ft.	1 75		
<b>Cerasus.</b>	See <b>Prunus.</b>				
<b>Cercis canadensis,</b>	Red-Bud or Judas Tree . . . tr.	1½ to 2 ft.	50	4 50	40 00
"	" . . . . . twice tr.	2½ to 3 ft.	1 00	7 50	60 00
"	" . . . . . twice tr.	3 to 4 ft.	1 25	10 00	90 00
<b>Chamæcyparis lawsoniana</b> ( <i>Cupressus</i> ),					
	Lawson's Cypress . . . twice tr.	2½ to 3 ft.	2 50	22 50	
"	<b>nootkatensis,</b> Nootka Sound Cypress . . . . . twice tr.	1 to 1½ ft.	2 00	17 50	
"	<b>obtusa,</b> Japanese Cypress . . . . . tr.	6 to 8 in.	1 00	8 50	
"	<b>pisifera filifera</b> ( <i>Retinospora</i> ) . . . tr.	1 ft.	1 25	10 00	
"	<b>plumosa</b> ( <i>Retinospora</i> ) . . . . . tr.	8 to 10 in.	1 00	8 00	
"	" . . . . . twice tr.	3 ft.	2 50		
"	" <b>aurea</b> . . . . . tr.	1 ft.	1 00	8 00	
"	" " . . . . . twice tr.	1½ to 2 ft.	2 50	22 50	
"	" " . . . . . twice tr.	2½ to 3 ft.	3 00	25 00	
"	<b>squarrosa</b> . . . . . twice tr.	1½ to 2½ ft.	2 50	22 50	
"	" . . . . . twice tr.	3 to 4 ft.	3 75		
"	<b>thyoides andelyensis,</b> Andely's Cedar . . . twice tr.	1½ to 2½ ft.	2 50	22 50	
"	" <b>variegata,</b> Variegated White Cedar . . . twice tr.	2 to 3 ft.	2 50	22 50	
<b>Chionanthus virginica,</b>	White Fringe . . . twice tr.	10 to 12 in.	75	5 00	40 00

## TREES, continued

	Height	Per 10	100	1,000
<b>Gladrastis lutea</b> , Yellow Wood . . . . . tr.	1 ft.	\$0 75	\$6 00	
<b>Cornus florida</b> , White-flowered Dogwood . . . . tr.	6 to 10 in.	40	3 50	\$20 00
" " . . . . . tr.	1 to 1½ ft.	50	4 00	30 00
" " . . . . . twice tr.	2 to 2½ ft.	75	6 00	50 00
" " . . . . . heavy, twice tr.	3½ to 4½ ft.	1 25	10 00	
For other species, see Shrubs.				
<b>Cratægus apiifolia</b> , Parsley-leaved Thorn . . . . tr.	1½ to 2 ft.	2 00	17 50	
" <b>boyntoni</b> , Boynton's Thorn . . . . . tr.	1 to 2 ft.	1 00	9 00	
" " . . . . . twice tr.	2 to 3 ft.	1 25	10 00	
" <b>buckleyi</b> , Buckley's Thorn . . . . . tr.	2 to 3 ft.	1 25	10 00	
" <b>cordata</b> , Washington Thorn . . . . . tr.	3 to 4 ft.	1 25		
" <b>crus-galli</b> , Cockspur Thorn . . . . . tr.	1 to 2 ft.	1 00	9 00	
" " . . . . . twice tr.	2½ to 3 ft.	1 50	12 50	
" <b>harbisoni</b> , Harbison's Thorn . . . . . tr.	1½ to 2½ ft.	1 50	12 50	100 00
" " . . . . . tr.	3 to 3½ ft.	1 75	15 00	125 00
" <b>mollis</b> , Downy-leaved Thorn . . . . . tr.	2½ to 3 ft.	1 75		
" <b>oxyacantha</b> , White or May Thorn . . . . . tr.	2 to 3 ft.	1 00	8 00	
" <b>punctata</b> , Large-fruited Thorn . . . . . tr.	1 to 2 ft.	1 00	9 00	85 00
" " . . . . . tr.	2½ to 3 ft.	1 50	12 50	100 00
" " . . . . . heavy, twice tr.	3 to 4 ft.	1 65	15 00	125 00
" <b>spatulata</b> , Small-fruited Thorn . . . . . tr.	2 to 3 ft.	1 75	15 00	125 00
" <b>tomentosa</b> , Pear Haw . . . . . tr.	1 to 1½ ft.	1 00	9 00	
" " . . . . . twice tr.	2 to 2½ ft.	1 25	11 00	
" <b>uniflora</b> , One-flowered Thorn . . . . . tr.	1 to 1½ ft.	1 25		
" <b>viridis</b> , Southern Haw . . . . . tr.	2 to 3 ft.	1 00	9 00	85 00
" " . . . . . tr.	3 to 4 ft.	1 25	11 00	100 00
<b>Cryptomeria japonica</b> , Cryptomeria . . . . twice tr.	2 to 3 ft.	2 50		
<b>Cupressus.</b> See <b>Chamæcyparis</b> .				
<b>Fagus americana</b> , American Beech . . . . . tr.	6 to 12 in.		2 00	15 00
<b>Fraxinus biltmoreana</b> , Biltmore Ash . . . . twice tr.	5 to 6 ft.	3 00	25 00	
" <b>lanceolata</b> ( <i>F. viridis</i> ), Green Ash. twice tr.	8 to 10 ft.	1 50	12 50	100 00
" <b>nigra</b> , Black Ash . . . . . tr.	2 to 3 ft.	50	4 50	40 00
" " . . . . . twice tr.	3½ to 4 ft.	75	6 50	
" <b>pennsylvanica</b> ( <i>F. pubescens</i> ), Red Ash. tr.	3 to 4 ft.	50	4 50	
" " . . . . . twice tr.	5 to 6 ft.	1 25	10 00	
" " . . . . . twice tr.	7 to 8 ft.	1 50	12 50	
" " . . . . . heavy, twice tr.	10 ft.	2 50	22 50	
<b>Ginkgo biloba</b> ( <i>Salisburia adiantifolia</i> ), Maiden- hair Tree . . . . . tr.	1 to 2 ft.	75	5 00	
" " . . . . . tr.	3 to 4 ft.	1 25	10 00	
<b>Gleditsia triacanthos</b> , Honey Locust . . . . . tr.	3 to 4 ft.	1 00	8 00	
<b>Halesia.</b> See <b>Mohrodendron</b> .				
<b>Hicoria aquatica</b> ( <i>Carya aquatica</i> ), Water Hickory . . . . . tr.	1½ to 2½ ft.	1 00	8 50	
" <b>microcarpa</b> ( <i>Carya microcarpa</i> ), Small- fruited Hickory . . . . . tr.	6 to 12 in.	50	4 50	
" <b>minima</b> ( <i>Carya amara</i> ), Bitternut . . . . tr.	1 to 1½ ft.		2 00	17 50
" " . . . . . tr.	2 to 3 ft.	50	4 00	30 00
<b>Juglans mandschurica</b> . . . . . twice tr.	2 to 3 ft.	1 25	10 00	
" <b>nigra</b> , Black Walnut . . . . . 2 yrs., S.	3 to 4 ft.			12 50
" " . . . . . tr.	1 to 1½ ft.	50	4 00	
" " . . . . . tr.	2 to 3 ft.	75	5 00	40 00
" " . . . . . tr.	3 to 4 ft.	85	6 00	50 00
" " . . . . . heavy, tr.	4 to 5 ft.	1 00	8 00	75 00
" " . . . . . heavy, tr.	6 to 7 ft.	1 50	12 50	
<b>Juniperus.</b> See <b>Shrubs</b> .				



## TREES, continued

		Height	Per 10	100	1,000
<b>Koelreuteria paniculata</b> , Varnish Tree . . . . . tr.		6 to 12 in.	\$0 50	\$4 00	\$30 00
" " . . . . . tr.		1½ to 2½ ft.	75	6 00	55 00
" " . . . . . tr.		2½ to 3 ft.	1 00	8 00	75 00
" " . . . . . select, tr.		3 to 4 ft.	1 50	12 50	
<b>Libocedrus decurrens</b> , Post Cedar . . . . . tr.		10 to 12 in.	1 00		
<b>Liquidambar styraciflua</b> , Sweet Gum . . . . . tr.		1 to 1½ ft.	35	2 50	20 00
<b>Liriodendron tulipifera</b> , Tulip Tree . . . . . tr.		1½ to 2½ ft.	50	4 00	30 00
" " . . . . . tr.		3 to 4 ft.	1 00	7 50	60 00
" " . . . . . select, tr.		4 to 5 ft.	2 00	15 00	125 00
<b>Magnolia acuminata</b> , Cucumber Tree . . . . . tr.		3 to 4 ft.	1 25	10 00	
" <b>conspicua cyathiformis</b> , Yulan . . . tr.		1½ ft.	1 75		
" <b>fœtida</b> ( <i>M. grandiflora</i> ), Southern Magnolia . . . . . tr.		6 to 12 in.	1 50	12 50	
" <b>kobus</b> , Japanese Magnolia . . . . . tr.		1½ ft.	2 00		
" " . . . . . twice tr.		2 to 3 ft.	3 50	30 00	
" <b>obovata</b> ( <i>M. purpurea</i> ) . . . . . tr.		1 to 2 ft.	1 50	12 50	
" " . . . . . twice tr.		2 to 2½ ft.	1 75	15 00	125 00
" " <b>gracilis</b> . . . . . twice tr.		2 to 3 ft.	1 75	15 00	
<b>Malus</b> . See <b>Pyrus</b> .					
<b>Mohrodendron carolinum</b> ( <i>Halesia tetraptera</i> ), Silver Bell . . . S.		4 to 8 in.			8 00
" " . . . . . tr.		2½ to 3 ft.	75	6 00	50 00
" " . . . . . tr.		4 to 5 ft.	1 00	8 50	75 00
<b>Morus tatarica</b> , Russian Mulberry . . . . . tr.		2½ to 3½ ft.	1 00	7 50	
<b>Negundo</b> . See <b>Acer negundo</b> .					
<b>Phellodendron amurense</b> , Chinese Cork Tree . . tr.		4 to 5 ft.	1 25	10 00	
<b>Picea canadensis</b> ( <i>P. alba</i> ), White Spruce . twice tr.		2 to 2½ ft.	1 50	12 50	
" " . . . . . twice tr.		3 to 4 ft.	2 50	22 50	
" <b>excelsa</b> , Norway Spruce . . . . . twice tr.		6 to 8 in.			15 00
" " . . . . . twice tr.		10 to 14 in.			25 00
" <b>parryana</b> ( <i>P. pungens</i> ), Rocky Mountain Spruce . . . . . twice tr.		1½ to 2½ ft.	3 75		
" " . . . . . twice tr.		3 to 4 ft.	5 00		
" <b>rubens</b> ( <i>P. rubra</i> ), Red Spruce . . . twice tr.		1½ to 2 ft.	2 50	22 50	
" " . . . . . twice tr.		2½ to 3½ ft.	3 50	32 50	
<b>Pinus excelsa</b> , Himalayan Pine . . . . . tr.		2 to 3 ft.	2 50		
" <b>laricio</b> , Corsican Pine . . . . . tr.		2 to 3 ft.	2 00		
" <b>monticola</b> , Mountain White Pine . . . . . tr.		1 ft.	1 50		
" <b>strobus</b> , White Pine . . . . . 2 yrs., S.					12 50
" <b>thunbergi</b> , Thunberg's Pine . . . . . tr.		3 to 5 ft.	2 00	17 50	
" " . . . . . tr.		6 to 7 ft.	2 50	22 50	
<b>Platanus occidentalis</b> , American Plane . . . . tr.		4 to 5 ft.	1 00	8 75	
" " . . . . . thrice tr.		6 to 8 ft.	1 50	12 50	
" " . . . . . thrice tr.		8 to 10 ft.	1 75	15 00	
" " . . . . . thrice tr.		10 to 12 ft.	2 50		
<b>Populus deltoides</b> , Carolina Poplar . . . . . tr.		10 to 12 ft.	1 75	15 00	
<b>Prunus americana</b> , Wild Yellow or Red Plum . . tr.		1½ to 2½ ft.	50	4 00	
" " . . . . . tr.		3 to 4 ft.	1 00	7 50	67 50
" <b>besseyi</b> , Western Sand Cherry . . . . . tr.		3 ft.	2 50		
" <b>serotina</b> , Wild Black Cherry . . . . . tr.		4 to 6 ft.	1 25	8 75	
<b>Pseudotsuga mucronata</b> ( <i>Abies douglasi</i> ), Douglas' Spruce . twice tr.		2 to 3 ft.	2 50		
" " . . . . . thrice tr.		3 to 4 ft.	4 00		
<b>Pyrus arbutifolia</b> . See <b>Aronia</b> , under <b>Shrubs</b> .					
" <b>baccata</b> , Siberian Crab . . . . . tr.		1½ to 2½ ft.	65	5 00	
" " . . . . . tr.		3 to 4 ft.	1 00	8 00	75 00

## TREES, continued

		Height	Per 10	100	1,000
<b>Pyrus japonica.</b>	See <b>Shrubs.</b>				
" <b>nigra.</b>	See <b>Aronia</b> , under <b>Shrubs.</b>				
" <b>sinensis</b> , Sand Pear . . . . .	tr.	5 to 7 ft.	\$1 25	\$10 00	
<b>Quercus alba</b> , White Oak . . . . .	S.	6 to 12 in.			\$7 50
" . . . . .	tr.	2 to 3 ft.	2 00	17 50	
" <b>coccinea</b> , Scarlet Oak . . . . .	S.	6 to 12 in.			7 50
" . . . . .	tr.	3 to 4 ft.	2 00	17 50	
" <b>digitata</b> ( <i>Q. falcata</i> ), Spanish Oak . . . . .	S.	8 to 12 in.		2 50	
" <b>imbricaria</b> , Shingle Oak . . . . .	S.	6 to 12 in.			12 00
" <b>lyrata</b> , Swamp or Overcup Oak . . . . .	tr.	1½ to 2½ ft.	2 00		
" <b>palustris</b> , Pin Oak . . . . .	S.	10 to 12 in.			12 00
" <b>pedunculata</b> , English Oak . . . . .	tr.	3 to 4 ft.	2 00	17 50	
" <b>prinus</b> , Chestnut Oak . . . . .	S.	10 to 12 in.			7 50
" . . . . .	tr.	1½ to 2½ ft.	1 75	15 00	
" <b>rubra</b> , Red Oak . . . . .	S.	10 to 16 in.			7 50
" . . . . . 2 yrs.,	S.	1 to 1½ ft.			10 00
" . . . . .	tr.	3 to 4 ft.	2 00	17 50	
" . . . . .	tr.	5 to 6 ft.	2 50	20 00	
" <b>serrata</b> . . . . .	tr.	2½ to 3½ ft.	3 50		
<b>Retinospora.</b>	See <b>Chamæcyparis.</b>				
<b>Rhododendron.</b>	See <b>Shrubs.</b>				
<b>Robinia pseudacacia</b> , Yellow Locust . . . . .	tr.	4 to 5 ft.	1 00	8 00	
<b>Salix nigra</b> , Black Willow . . . . .	tr.	2½ to 3½ ft.	35	3 25	30 00
" . . . . . heavy, tr.		5 to 6 ft.	50	4 50	42 50
For other species, see <b>Shrubs.</b>					
<b>Thuja occidentalis</b> , American Arborvitæ . . . . .	twice tr.	1 ft.	1 00	7 50	60 00
" " <b>aurea</b> . . . . .	twice tr.	1 to 2 ft.	1 50	12 50	
" " " . . . . .	twice tr.	2 to 2½ ft.	2 00	17 50	
" " <b>maculata</b> . . . . .	twice tr.	1 to 2 ft.	1 50	12 50	
" " " . . . . .	twice tr.	2½ to 3 ft.	2 00	17 50	
" " <b>fillicoides</b> . . . . .	twice tr.	1 to 1½ ft.	1 50	12 50	
" " " . . . . .	twice tr.	1½ to 2 ft.	2 00	17 50	
" " <b>globosa</b> . . . . .	tr.	8 to 10 in.	1 25	10 00	
" " " . . . . .	twice tr.	1 to 1½ ft.	2 00	17 50	
" " " . . . . . heavy, twice tr.		3½ to 4 ft.	5 00	40 00	
" " " . . . . . heavy, twice tr.		4 to 5 ft.	7 50		
" " <b>pyramidalis</b> . . . . .	tr.	10 to 12 in.	1 25	10 00	
" " " . . . . .	twice tr.	1½ to 2½ ft.	1 50	12 50	
" " " . . . . .	twice tr.	3 to 3½ ft.	2 50	22 50	
" " <b>White-tipped</b> . . . . .	twice tr.	1 to 1½ ft.	1 25		
" " " . . . . .	twice tr.	1½ to 2 ft.	1 50		
" " " . . . . .	twice tr.	2 to 2½ ft.	2 00		
" <b>orientalis</b> ( <i>Biota</i> ), Oriental Arborvitæ . . . . .	twice tr.	1 ft.	1 50	12 50	
" " <b>compacta</b> . . . . .	tr.	8 to 10 in.	1 25	10 00	
" " " . . . . .	twice tr.	1 to 1½ ft.	1 50	12 50	
" " " . . . . .	twice tr.	1½ to 2 ft.	2 50		
<b>Tsuga canadensis</b> , Canadian Hemlock . . . . .	tr.	1 ft.		5 25	45 00
" " . . . . .	twice tr.	1½ to 2 ft.	1 50	12 50	100 00
" " . . . . . select, twice tr.		2½ to 3 ft.	2 00	18 75	175 00
" " . . . . . select, thrice tr.		3 to 4 ft.	2 50	22 50	
" " tr. specimens with balls, 10 ft.					
" " each, \$2.50.					
" <b>caroliniana</b> , Carolina Hemlock . . . . .	tr.	1 ft.	1 25	10 00	
" " tr. specimens with balls, 8 ft.					
" " each, \$3.50.					
" <b>mertensiana</b> , Western Hemlock . . . . .	tr.	1 to 2 ft.	2 00		
" " . . . . .	twice tr.	2 to 3 ft.	3 50		
<b>Ulmus americana</b> , American or white Elm . . . . .	twice tr.	8 to 10 ft.	6 75		
" " . . . . .	twice tr.	12 to 14 ft.	7 50		

## SHRUBS

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted

	Height	Per 10	100	1,000
<b>Abelia chinensis</b> ( <i>A. rupestris</i> ), Chinese Abelia . tr.	1 to 2 ft.	\$1 50	\$12 50	\$100 00
" " . tr. specimens with balls, \$2 each.	3 ft.			
<b>Adelia acuminata</b> ( <i>Forestiera acuminata</i> ),				
Pointed-leaved Adelia . . tr.	1 to 2 ft.	50	4 50	
" " . . . . . tr.	3½ to 4½ ft.	65	5 50	50 00
" " . . . . . heavy, tr.	5 to 7 ft.	1 00	8 00	75 00
" <b>ligustrina</b> ( <i>Forestiera ligustrina</i> ), Privet-				
leaved Adelia . . . . . tr.	1 to 2 ft.	65	5 50	50 00
<b>Aithæa</b> . See <b>Hibiscus</b> .				
<b>Amorpha tennesseensis</b> , Tennessee Indigo . . tr.	1½ to 2 ft.	60	5 00	
" " . . . . . tr.	2 to 3 ft.	75	6 00	50 00
<b>Andromeda calyculata</b> . See <b>Chamædaphne</b> .				
" <b>japonica</b> . See <b>Pieris</b> .				
" <b>ligustrina</b> . See <b>Xolisma</b> .				
" <b>polifolia</b> , Wild Rosemary . . . . . tr.	8 to 10 in.	75	5 00	
<b>Aralia chinensis</b> ( <i>A. japonica</i> ), Chinese Angelica . tr.	2 to 3 ft.	1 25	10 00	
" " . . . . . tr.	3 to 4 ft.	1 50	12 00	
" " . . . . . tr.	6 to 8 ft.	2 00	15 00	
<b>Aronia arbutifolia</b> ( <i>Pyrus arbutifolia</i> ), Chokeberry. tr.	1 to 2 ft.	75	6 50	60 00
" <b>nigra</b> ( <i>Pyrus nigra</i> ), Black Chokeberry . tr.	1½ to 2½ ft.	1 00	8 50	
<b>Azalea amoena</b> . . . . . tr.	6 to 8 in.	2 50	20 00	
" <b>arborescens</b> , Tree Azalea . . . . . tr.	6 to 8 in.	75	6 00	50 00
" " . . . . . twice tr.	1 ft.	1 00	8 50	80 00
" " . . . . . select heavy, twice tr.	1½ ft.	1 50	12 50	
" <b>lutea</b> ( <i>A. calendulacea</i> ), Flame Azalea . tr.	6 to 12 in.	75	6 50	
" <b>nudiflora</b> , Pinkster Flower . . . . . tr.	6 to 8 in.	75	6 50	
" <b>viscosa</b> , Swamp Pink, or Honeysuckle . tr.	4 to 6 in.	50	4 50	
" " . . . . . tr.	6 to 8 in.	65	6 00	50 00
<b>Baccharis halimifolia</b> , Groundsel-bush, or Pen-				
cil-tree . . . . . tr.	1½ to 2½ ft.	60	5 50	50 00
<b>Benzoin benzoin</b> ( <i>Lindera benzoin</i> ), Spice-bush . tr.	10 to 12 in.	50	4 00	30 00
<b>Berberis aquifolium</b> , Mahonia . . . . . tr.	1 to 2 ft.	1 00	8 50	
" <b>asiatica</b> , Asiatic Barberry . . . . . tr.	1½ to 2 ft.	1 00	8 50	
" <b>congestiflora</b> , Chilian Barberry . . . tr.	1 to 1½ ft.	1 50	10 00	
" " . . . . . tr.	1½ to 2½ ft.	1 65	12 50	
" <b>fascicularis</b> , Fascicled Barberry . . . tr.	1 to 1½ ft.	1 50		
" <b>heteropoda</b> , Turkestan Barberry . . . tr.	1½ to 2 ft.	1 50	10 00	
" " . . . . . tr.	2½ to 3 ft.	1 65	12 50	
" <b>japonica</b> , Japanese Mahonia . . . . . tr.	6 to 12 in.	1 65	12 50	
" <b>sanguinolenta</b> , Scarlet Barberry . . . tr.	2 to 3 ft.	1 65	12 50	
" <b>sinensis</b> , Chinese Barberry . . . . . tr.	2 to 2½ ft.	1 65	12 50	
" <b>thunbergi</b> , Thunberg's Barberry . . . tr.	8 to 12 in.	50	3 75	30 00
" " . . . . . tr.	1½ to 2½ ft.	65	5 50	50 00
" <b>vulgaris</b> , Common European Barberry . tr.	6 to 12 in.	35	3 00	
" " . . . . . tr.	1½ to 2 ft.	65	5 00	40 00
<b>Biota</b> . See <b>Thuja</b> , under <b>Trees</b> .				
<b>Buddleia lindleyana</b> , Chinese Buddleia . . . . tr.	4 to 5 ft.	1 50	10 00	
" <b>variabilis</b> , Sweet-scented Buddleia . . . tr.	4 to 5 ft.	1 50	10 00	
<b>Bumelia lycioides</b> , Buckthorn . . . . . tr.	6 to 12 in.	1 50		

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Butneria fertilis</b> ( <i>Calycanthus laevigatus</i> ), Smooth					
Strawberry Shrub . . . . .	tr.	1 to 1½ ft.	\$0 65	\$5 00	\$42 50
" . . . . .	tr.	2 to 3 ft.	1 00	7 50	65 00
<b>Buxus sempervirens</b> , Boxwood . . . . .	tr.	8 to 10 in.	50	4 50	42 50
" . . . . .	tr.	1½ to 2 ft.	4 00		
" . . . . .	tr.	2 to 3 ft.	5 00		
" . . . . .	tr.	1½ ft.			
" . . . . .	tr.	2 to 3 ft.			
" . . . . .	tr.	8 to 10 in.	50	4 50	
" . . . . .	tr.	8 to 10 in.	50	4 50	
" . . . . .	tr.	8 to 10 in.	50	4 50	
" . . . . .	tr.	3 to 4 in.		2 00	17 50
" . . . . .	tr.	4 to 6 in.		2 50	20 00
<b>Callicarpa purpurea</b> , Purple-fruited Callicarpa . tr.		1½ to 2 ft.	50	4 50	40 00
" . . . . .	tr.	2 to 3 ft.	75	6 50	60 00
<b>Calluna vulgaris</b> , Scotch Heather . . . . .	tr.	6 to 10 in.	50	4 00	
<b>Calycanthus</b> . See <b>Butneria</b> .					
<b>Caragana chamlagu</b> , Mongolian Pea Shrub . . . tr.		1 to 1½ ft.	1 00	8 00	75 00
<b>Caryopteris mastacanthus</b> , Chinese Beardwort . tr.		1½ ft.	1 00	8 00	75 00
<b>Cassandra</b> . See <b>Chamædaphne</b> .					
<b>Cephalanthus occidentalis</b> , Button Bush . . . tr.		2 to 3 ft.	75	6 75	60 00
" . . . . .	tr.	3 to 4 ft.	1 00	8 00	75 00
<b>Chamædaphne calyculata</b> ( <i>Cassandra calyculata</i> ), Leather-leaf . tr.		1 ft.	45	3 75	30 00
" . . . . .	tr.	1 to 1½ ft.	75	6 50	60 00
<b>Citrus trifolius</b> , Hardy Lemon . . . . .	tr.	1 ft.	50	4 50	
<b>Clethra alnifolia</b> , Sweet Pepper-bush . . . . .	tr.	6 to 10 in.	30	2 50	22 50
" . . . . .	tr.	1 to 2 ft.	45	3 75	32 50
" . . . . .	tr.	2 to 2½ ft.	65	5 25	47 50
" . . . . .	tr.	3 to 3½ ft.	1 00	8 00	
<b>Cornus amomum</b> ( <i>C. sericea</i> ), Silky Dogwood . tr.		2 to 3 ft.	50	4 25	37 50
" . . . . .	tr.	3 to 5 ft.	75	6 50	50 00
" . . . . .	tr.				
" . . . . .	tr.	1 to 1½ ft.	50	4 50	40 00
" . . . . .	tr.	1½ to 2 ft.	65	5 50	
" . . . . .	tr.	2½ to 3½ ft.	75	6 50	60 00
" . . . . .	tr.				
" . . . . .	tr.	1½ to 2 ft.	60	5 00	40 00
" . . . . .	tr.	2½ to 3½ ft.	75	6 50	60 00
" . . . . .	tr.	4 to 5 ft.	1 25	10 00	87 50
<b>Corylus americana</b> , Hazel-nut . . . . .	tr.	2 to 3 ft.	75		
" . . . . .	tr.	3 to 4 ft.	1 00	8 50	
" . . . . .	tr.	1½ to 2½ ft.	1 50		
<b>Cotoneaster microphylla</b> , Nepaulese Cotoneaster.tr.		6 to 12 in.	50	4 50	
" . . . . .	tr.	2 to 3 ft.	85	7 50	
" . . . . .	tr.	3 to 4 ft.	1 00	8 00	
" . . . . .	tr.	3 to 4 ft.	2 00		
<b>Cratægus</b> . See <b>Trees</b> .					
<b>Cydonia</b> . See <b>Pyrus japonica</b> .					
<b>Desmodium penduliflorum</b> . See <b>Lespedeza</b> , under <b>Herbaceous Plants</b> , etc.					
<b>Deutzia crenata candidissima</b> . . . . .	twice tr.	3½ to 5 ft.	1 00	8 00	75 00
" . . . . .	tr.	2 to 3 ft.	75	6 00	
" . . . . .	twice tr.	3½ to 5 ft.	1 00	8 00	75 00
" . . . . .	tr.	1 to 1½ ft.	75	6 00	50 00
<b>Diervilla diervilla</b> ( <i>D. trifida</i> ), Bush Honeysuckle . tr.		2 ft.	65	5 50	
" . . . . .	tr.	2 to 3 ft.	1 25	10 00	

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Diervilla grandiflora</b> , Rose . . . . . tr.	2 to 3 ft.	\$1 25	\$10 00		
" " Variegated . . . . . tr.	1½ to 2½ ft.	75	5 50		
" " White . . . . . tr.	2 to 3 ft.	1 25	10 00		
" <b>japonica</b> . . . . . tr.	3 to 4 ft.	1 25	10 00		
" <b>rivularis</b> , Gattinger's Bush Honeysuckle tr.	1½ to 2½ ft.	1 25	10 00		
" <b>sessilifolia</b> , High Bush Honeysuckle . tr.	2 to 3 ft.	1 00	7 50		
<b>Elæagnus longipes</b> , Silver Thorn . . . . . tr.	1 to 1½ ft.	1 00	7 50		
<b>Erica stricta</b> , Corsican Heath . . . . . tr.	3 to 4 in.	1 00	8 00		
" <b>tetralix</b> , Cross-leaved Heath . . . . . tr.	10 to 12 in.	1 00			
" <b>vagens</b> , Cornish Heath . . . . . tr.	4 to 6 in.	1 00	8 00		
<b>Euonymus americanus</b> , Strawberry Bush . . . tr.	2 to 3 ft.	1 00	8 00	\$75 00	
" <b>angustifolius</b> , Narrow-leaved Spindle tree . . . . . tr.	1 to 2 ft.	75	6 00		
" <b>bungeanus</b> , Bunge's Spindle-tree . . . tr.	3 to 4 ft.	1 25	10 00		
" " " . . . . . tr.	6 to 7 ft.	1 50	12 50		
" <b>hamiltonianus</b> , Hamilton's Spindle-tree . . . . . tr.	2 to 3 ft.	1 50			
" <b>japonicus</b> , Japanese Euonymus . . . tr.	1 to 1½ ft.	1 00	8 00	75 00	
" " <b>microphyllus</b> . . . . . tr.	8 to 10 in.	75	6 00		
" <b>radicans</b> , Climbing Euonymus . . . tr.	6 to 12 in.	50	4 00		
" <b>sieboldianus</b> , Siebold's Spindle-tree tr.	1 to 1½ ft.	1 25	10 00		
<b>Exochorda grandiflora</b> , Pearl Bush . . . . . tr.	1½ to 2½ ft.	1 00	8 75	80 00	
" " " . . . . . tr.	3 to 4 ft.	1 50			
<b>Fontanesia phylliræoides</b> . . . . . tr.	2 to 3 ft.	1 25	10 00		
" " " . . . . . tr.	4 to 5 ft.	1 50	12 50		
<b>Forestiera.</b> See <b>Adelia.</b>					
<b>Forsythia suspensa</b> , Golden Bell . . . . . tr.	1 to 2 ft.	50	4 00		
" " " . . . . . tr.	3 to 4 ft.	75	6 00	50 00	
" <b>viridissima</b> , Dark Green Forsythia . . tr.	1 to 2 ft.	50	4 00	32 50	
" " " . . . . . tr.	2½ to 3½ ft.	65	5 00	45 00	
<b>Fothergilla carolina</b> , Small Fothergilla . . . tr.	4 to 6 in.	2 00	17 50		
<b>Genista præcox</b> , Early Genista . . . . . tr.	6 to 10 in.	1 00	8 75		
" <b>scoparia</b> , Scotch Broom . . . . . tr.	3 ft.	1 00	8 75		
<b>Hamamelis virginiana</b> , Witch Hazel . . . . tr.	1 to 1½ ft.	75	6 25	55 00	
" " " . . . . . tr.	1½ to 2 ft.	85	7 50	62 50	
" " " . . . . . twice tr.	2½ to 3 ft.	1 00	8 50	75 00	
<b>Hibiscus syriacus</b> ( <i>Althæa</i> ), Rose of Sharon, double and single forms, lilac, red, white, pink, rose, purple, violet, separate colors . . . . . tr.	1 to 1½ ft.	65	5 00	40 00	
" " " . . . . . twice tr.	2 to 3 ft.	75	6 00	50 00	
" " " . . . . . twice tr.	3½ to 4 ft.	1 00	7 50	60 00	
" " " . . . . . heavy, twice tr.	5 to 6 ft.	1 50	12 50		
<b>Hydrangea arborescens</b> , Wild Hydrangea . . . tr.	1 to 1½ ft.	65	6 00		
" " " . . . . . tr.	2 to 3 ft.	1 00	7 50		
" <b>hirta</b> . . . . . tr.	2½ to 3 ft.	1 25	10 00		
" <b>hortensis</b> , Garden Hydrangea, in varieties . . . . . 3 to 4 yrs., tr.		1 50	12 50		
" <b>paniculata</b> , Panicked Hydrangea . . . tr.	1 to 1½ ft.	50	4 50	40 00	
" " " . . . . . tr.	2 to 2½ ft.	75	6 00	50 00	
" " " . . . . . tr.	3 to 4 ft.	1 00	7 50	65 00	
" <b>grandiflora</b> , Large-flowered Hydrangea tr.	1 to 2 ft.	50	4 50	40 00	
" " " . . . . . tr.	2 to 3 ft.	75	6 00		
" <b>quercifolia</b> , Oak-leaved Hydrangea . tr.	1 to 2 ft.	2 50	22 50		
" <b>radiata</b> , Downy Hydrangea . . . . . tr.	1 ft.	50	4 50		
" " " . . . . . tr.	2 to 3 ft.	75	6 75		

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Hypericum buckleyi</b> , Buckley's St. John's-wort . tr.	4 to 6 in.	\$o 75	\$6 75		
<b>densiflorum</b> , Dense-flowered St. John's-wort . . . . . tr.					
John's-wort . . . . . tr.	1 ft.	40	3 50	\$30 00	
" . . . . . tr.	1½ to 2 ft.	50	4 50	40 00	
<b>elatum</b> . . . . . tr.	1 ft.	1 00	8 50		
<b>glomeratum</b> , Mountain St. John's-wort . . . . . tr.	6 to 12 in.	40	3 50		
" . . . . . tr.	1½ to 2 ft.	50	4 50	40 00	
<b>kalmianum</b> , Kalm's St. John's-wort . tr.	1 to 2 ft.	1 00	8 50		
<b>lobocarpum</b> , Gattinger's St. John's-wort . . . . . tr.	1½ to 2 ft.	1 00	8 50		
" . . . . . tr.	1½ to 2 ft.	1 00	8 50		
<b>patulum</b> . . . . . tr.	1½ to 2 ft.	1 00	8 50		
<b>prolificum</b> , Shrubby St. John's-wort . tr.	1 to 1½ ft.	40	3 50		
" . . . . . tr.	1½ to 2½ ft.	50	4 50	40 00	
<b>sphærocarpum</b> . See <b>Herbaceous Plants, etc.</b>					
<b>Ilex crenata</b> , Japanese Holly . . . . . tr.	6 to 8 in.	75	5 00	40 00	
" . . . . . tr.	1 ft.	1 00	8 50	75 00	
<b>verticillata</b> , Black Alder . . . . . tr.	6 to 12 in.	45	3 75		
" . . . . . tr.	1 to 1½ ft.	75	6 00		
" . . . . . tr.	2 to 2½ ft.	1 00			
<b>Itea virginica</b> , Virginia Willow . . . . . tr.	6 to 12 in.	35	3 00		
" . . . . . tr.	1 to 2 ft.	50	4 00	35 00	
" . . . . . tr.	2½ to 3 ft.	65	5 00	45 00	
<b>Jasminum humile</b> ( <i>J. reevesi</i> ), Yellow Italian Jasmine . . . . . tr.	1½ to 2½ ft.	75	6 50		
<b>nudiflorum</b> , Naked-flowered Jasmine . tr.	1 to 2 ft.	75	5 00	40 00	
<b>Juniperus chinensis</b> , Chinese Juniper . . . . . tr.	1 to 2 ft.	2 00	17 50		
" <b>procumbens</b> . . . . . tr.	1½ to 2 ft.	2 50			
<b>communis hibernica</b> , Irish Juniper . tr.	1 to 2 ft.	2 00	17 50		
" . . . . . tr.	2½ to 3 ft.	2 50	22 00		
<b>suecica</b> , Swedish Juniper . tr.	1 to 1½ ft.	1 50	10 00		
" . . . . . tr.	2 to 2½ ft.	1 75	15 00		
<b>nana</b> ( <i>J. communis alpina</i> ), Prostrate Juniper . . . . . tr.	6 to 10 in.	75	6 00	50 00	
" . . . . . tr.	1 to 1½ ft.	1 00	8 00	75 00	
" . . . . . tr.	1½ to 2 ft.	1 25	10 00	90 00	
<b>rigida</b> . . . . . twice tr.	4 to 5 ft.	2 75			
" . . . . . twice tr.	6 to 7 ft.	3 00			
<b>sabina prostrata</b> , Dwarf Savin . . . . . tr.	1 to 2 ft.	1 50	12 00	100 00	
<b>Kalmia latifolia</b> , Calico-bush . . . . . tr.	1½ ft.	3 50	32 50		
" . . . . . tr.	2 to 3 ft.	5 00	40 00	375 00	
<b>Leucothoe catesbæi</b> , Catesby's Leucothoe . . pots	10 to 12 in.	40	3 00	25 00	
<b>racemosa</b> , Swamp Leucothoe . . . . . tr.	6 to 12 in.	40	3 50	30 00	
" . . . . . tr.	1 to 1½ ft.	50	4 50	42 50	
" . . . . . tr.	2 to 3 ft.	75	6 50	60 00	
<b>Ligustrum ibota</b> , Ibota Privet . . . . . tr.	2 to 3 ft.	50	4 00	35 00	
" . . . . . twice tr.	3 to 4 ft.	75	6 00		
<b>japonicum</b> , Japanese Privet . . . . . tr.	1 to 2 ft.	65	5 50		
<b>ovalifolium</b> , California Privet . . . . tr.	2½ to 3 ft.	40	3 50	27 50	
<b>quihoui</b> . . . . . tr.	3 to 4 ft.	65	5 00	42 50	
<b>sinense</b> , Chinese Privet . . . . . tr.	2 ft.	40	3 50	27 50	
" . . . . . tr.	2½ to 3½ ft.	50	4 00	30 00	
<b>Lindera</b> . See <b>Benzoin</b> .					
<b>Lonicera bella</b> ( <i>L. chrysantha</i> × <i>tatarica</i> ), Hybrid Honeysuckle . . . . . tr.	2 to 3 ft.	50	4 50		
<b>fragrantissima</b> , Bush Honeysuckle . . tr.	1½ to 2½ ft.	75	5 00	45 00	

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Lonicera involucrata</b> , Fly Honeysuckle . . . . .	tr.	3 to 4 ft.	\$1 00	\$8 00	
“ <b>tatarica</b> . . . . .	tr.	1½ to 2 ft.	50	4 00	
“ “ . . . . .	tr.	3 ft.	1 00		
“ “ <b>parvifolia</b> . . . . .	tr.	1½ ft.	75	5 00	
For other species, see Vines.					
<b>Mahonia</b> . See <b>Berberis</b> .					
<b>Myrica gale</b> , Sweet Gale . . . . .	tr.	6 to 12 in.	1 00	8 50	
<b>Opulaster opulifolius</b> ( <i>Neillia</i> , or <i>Spiræa opulifolia</i> ), Nine Bark . . . . .	tr.	3 to 4 ft.	1 00	8 50	\$80 00
“ “ . . . . .	tr.	5 to 6 ft.	1 25	10 00	
<b>Philadelphus gloriosus</b> . . . . .	tr.	2 to 3 ft.	1 25	10 00	
“ <b>gordonianus</b> . . . . .	tr.	2 to 3 ft.	1 25		
“ <b>grandiflorus</b> , Large-flowered Syringa . . . . .	tr.	1 to 2 ft.	60	5 00	40 00
“ “ . . . . .	tr.	3 to 4 ft.	75	6 00	50 00
“ “ . . . . .	tr.	4 to 5 ft.	1 00	8 50	
“ <b>hirsutus</b> , Hairy Syringa . . . . .	tr.	1½ to 2½ ft.	60	4 50	
“ “ . . . . .	tr.	3 to 4 ft.	75	6 00	
“ <b>inodorus</b> , Scentless Syringa . . . . .	tr.	3 to 4 ft.	75	6 00	
“ <b>latifolius</b> , Many-flowered Syringa . . . . .	tr.	1 to 2 ft.	75	6 00	50 00
“ “ . . . . .	tr.	2 to 3 ft.	1 00		
“ “ . . . . .	tr.	3 to 4 ft.	1 25		
“ “ . . . . .	tr.	5 to 6 ft.	1 50	12 50	
“ <b>lewisi</b> , Western Syringa . . . . .	tr.	3 to 5 ft.	1 00	8 50	
“ <b>pekinensis</b> , Chinese Syringa . . . . .	tr.	1½ to 2½ ft.	75	6 00	
<b>Phillyrea angustifolia</b> . . . . .	tr.	2 to 3 ft.	75	6 00	
“ “ . . . . .	tr.	3 to 4 ft.	85	7 00	60 00
<b>Pieris japonica</b> ( <i>Andromeda japonica</i> ) . . . . .	tr.	6 to 8 in.	1 00	8 50	
<b>Prunus</b> . See <b>Trees</b> .					
<b>Ptelea trifoliata</b> , Hop-tree . . . . .	tr.	1½ to 2½ ft.	60	5 00	40 00
“ “ . . . . .	tr.	3 to 4 ft.	75	6 00	50 00
“ “ . . . . .	tr.	5 to 7 ft.	1 00	8 50	
<b>Pyrus arbutifolia</b> and <b>nigra</b> . See <b>Aronia</b> .					
“ <b>japonica</b> ( <i>Cydonia japonica</i> ), Japanese Quince . . . . .	tr.	1 ft.	50	4 00	
“ “ . . . . .	tr.	1½ to 2 ft.	75	5 00	40 00
“ “ . . . . .	tr.	2 to 3 ft.	85	6 50	50 00
“ <b>pygmæa</b> , Dwarf Japanese Quince . . . . .	tr.	1½ to 2 ft.	85	6 50	
For other species, see Trees.					
<b>Rhamnus cathartica</b> , Common Buckthorn . . . . .	tr.	4 to 6 ft.	1 00	8 50	
“ <b>frangula</b> , Alder Buckthorn . . . . .	tr.	3 to 4 ft.	1 00	8 50	
<b>Rhododendron maximum</b> , Great Laurel . . . . .	tr.	1½ to 2 ft.	3 50	32 50	
<b>Rhodotyus kerrioides</b> , White Kerria . . . . .	tr.	1 to 1½ ft.	75	5 00	40 00
“ “ . . . . .	tr.	2 to 3 ft.	85	6 00	50 00
<b>Rhus aromatica</b> ( <i>R. canadensis</i> ), Sweet-scented Sumac . . . . .	tr.	8 to 12 in.	60	5 00	
“ “ . . . . .	tr.	1 to 1½ ft.	75	6 75	
“ <b>copallina</b> , Upland Sumac . . . . .	tr.	2 to 3 ft.	1 00	7 50	
“ “ . . . . .	tr.	3 to 4 ft.	1 25	8 75	
“ <b>glabra</b> , Smooth Sumac . . . . .	tr.	1½ to 2½ ft.	65	5 00	
“ “ . . . . .	tr.	3 to 4 ft.	85	7 00	
“ “ . . . . .	tr.	5 to 6 ft.	1 00	8 50	
“ <b>michauxi</b> , Dwarf Sumac . . . . .	tr.	10 to 12 in.	5 00		
<b>Ribes aureum</b> , Missouri Currant . . . . .	tr.	3 to 4 ft.	75	6 50	
<b>Rosa blanda</b> , Meadow Rose . . . . .	tr.	1 to 1½ ft.	60	5 00	40 00
“ “ . . . . .	tr.	2 to 2½ ft.	75	6 00	45 00

## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Rosa bracteata</b> , McCartney Rose . . . . . tr.		2 to 3 ft.	\$1 00	\$8 50	
" <b>carolina</b> , Swamp Rose . . . . . tr.		1½ to 2½ ft.	50	4 00	\$30 00
" <b>humilis</b> , Low, or Pasture Rose . . . . . tr.		1½ ft.	75	6 00	
" <b>multiflora</b> , Japanese Climbing Rose . . . . . tr.		1½ to 2½ ft.	75	5 00	40 00
" . . . . . tr.		3 to 4 ft.	1 00	7 50	65 00
" <b>repens</b> , European Field Rose . . . . . tr.		3 to 5 ft.	1 00	7 50	
" <b>rugosa</b> , Wrinkled Japanese Rose . . . . . tr.		1 to 2 ft.	85	7 00	60 00
" <b>setigera</b> , Prairie Rose . . . . . tr.		3 to 4 ft.	75	5 00	45 00
" . . . . . tr.		5 to 6 ft.	1 00	8 00	75 00
" <b>wichuraiana</b> , Memorial or Chinese Trailing Rose . . . . . tr.		2 to 3 ft.	50	4 00	35 00
<b>Rubus leucoderme</b> , Western Raspberry . . . . . tr.		3 to 4 ft.	1 00	8 50	
<b>Salix incana</b> , Rosemary Willow . . . . . tr.		3 to 3½ ft.	1 00	8 50	
" <b>nigra</b> . See <b>Trees</b> .					
" <b>sericea</b> , Silky Willow . . . . . tr.		3 to 6 ft.	65	5 00	
<b>Sambucus canadensis</b> , Sweet Elder . . . . . tr.		4 to 6 ft.	65	5 00	
<b>Spiræa alba</b> . . . . . tr.		2 to 3 ft.	50	4 00	
" . . . . . tr.		4 to 5 ft.	65	5 00	40 00
" <b>Anthony Waterer</b> . . . . . tr.		1 ft.	50	4 50	40 00
" <b>arguta</b> . . . . . tr.		1 to 2 ft.	50	4 50	
" <b>bumalda</b> . . . . . tr.		6 to 12 in.	50	4 00	
" <b>callosa</b> . See <b>S. japonica</b> .					
" <b>cantonensis plena</b> ( <i>S. reevesi</i> ) . . . . . tr.		1 to 2 ft.	50	4 50	40 00
" <b>douglasi</b> . . . . . tr.		2 to 3 ft.	65	5 00	
" <b>japonica</b> . . . . . tr.		1 to 1½ ft.	50	4 00	35 00
" . . . . . tr.		1½ to 2 ft.	65	5 00	
" <b>alba</b> . . . . . tr.		1 ft.	1 00	8 00	75 00
" <b>macrophylla</b> . . . . . tr.		1 to 2 ft.	60	5 00	
" <b>margaritæ</b> . . . . . tr.		1 to 1½ ft.	50	4 00	32 50
" . . . . . tr.		2 to 2½ ft.	60	5 00	40 00
" <b>menziesi</b> . . . . . tr.		2 to 3 ft.	75	6 50	50 00
" <b>nicoudierti</b> . . . . . tr.		2 ft.	1 00	8 00	
" <b>opulifolia</b> . See <b>Opulaster opulifolius</b> .					
" <b>prunifolia plena</b> . . . . . tr.		1 to 1½ ft.	65	5 00	40 00
" . . . . . tr.		3 to 4 ft.	75	6 00	50 00
" <b>thunbergi</b> . . . . . tr.		1 to 1½ ft.	50	4 50	40 00
" <b>tomentosa</b> , Hardhack or Steeple-bush . . tr.		1 to 1½ ft.	50	4 00	
" . . . . . tr.		2 to 2½ ft.	65	5 00	40 00
" <b>vanhouttei</b> . . . . . tr.		1 to 1½ ft.	50	4 50	40 00
" . . . . . tr.		2 to 2½ ft.	75	6 00	50 00
" . . . . . tr.		3 to 4 ft.	1 00		
" <b>virginiana</b> . . . . . tr.		1½ to 2 ft.	1 50		
<b>Staphylea trifolia</b> , Bladder-nut . . . . . tr.		1 to 2 ft.	75	6 00	50 00
" . . . . . tr.		2 to 3 ft.	1 00		
<b>Stephanandra flexuosa</b> . . . . . tr.		1½ to 2½ ft.	75	6 50	60 00
<b>Styrax americana</b> , Storax . . . . . tr.		1½ to 2½ ft.	1 00	8 75	
<b>Symphoricarpos occidentalis</b> , Wolfberry . . tr.		1½ to 2 ft.	75		
" . . . . . tr.		2 to 3 ft.	1 00	8 00	
" <b>racemosus</b> , Snowberry . . . . . tr.		3 to 4 ft.	75	6 00	
" <b>symphoricarpos</b> ( <i>S. vulgaris</i> ), Coral-berry . . . . . tr.		2 to 3 ft.	50	4 00	30 00
<b>Syringa chinensis</b> , Chinese Lilac . . . . . tr.		2 to 3 ft.	1 00	8 00	
" <b>josikæa</b> . . . . . tr.		1 to 1½ ft.	1 00	8 00	
" <b>persica alba</b> . . . . . tr.		2 to 3 ft.	1 00		
" <b>vulgaris</b> , Common Lilac . . . . . tr.		1½ to 3 ft.	75	6 00	
" <b>alba</b> , Common White Lilac . . tr.		1 to 2 ft.	75	5 00	40 00
" <b>A. L. Spath</b> . . . . . tr.		1 to 2 ft.	1 00	8 00	



## SHRUBS, continued

		Height	Per 10	100	1,000
<b>Syringa vulgaris amœna</b> . . . . .	tr.	1½ to 2 ft.	\$1 00	\$8 00	
" " <b>aurea</b> . . . . .	tr.	1 to 2 ft.	1 00	8 00	
" " <b>Camille de Rohan</b> . . . . .	tr.	1 to 2 ft.	1 00		
" " <b>Charles X</b> . . . . .	tr.	2 to 3 ft.	1 25	10 00	
" " <b>Colmariensis</b> . . . . .	tr.	2 to 3 ft.	1 25	10 00	
" " <b>Comte Horace de Choiseul</b> . tr.		1 to 2 ft.	1 00		
" " <b>Gloire des Moulins</b> . . . . .	tr.	1 to 2 ft.	1 00	8 00	
" " <b>grandiflora</b> . . . . .	tr.	1 ft.	1 00		
" " <b>Marie Legraye</b> . . . . .	tr.	2 to 3 ft.	1 25		
" " <b>Prince Nottger</b> . . . . .	tr.	1 to 2 ft.	1 00		
" " <b>Renoncule</b> . . . . .	tr.	1½ to 2 ft.	1 00		
" " <b>rubra de Marley</b> . . . . .	tr.	1½ to 2 ft.	1 00		
" " <b>Schermerhorni</b> . . . . .	tr.	1½ to 2 ft.	1 00		
" " <b>Senateur Volland</b> . . . . .	tr.	1½ to 2 ft.	1 00		
" " <b>Tangiers</b> . . . . .	tr.	1 ft.	1 00		
" " <b>Verschaffelti</b> . . . . .	tr.	2 to 3 ft.	1 00		
" " <b>Ville d'Imoges</b> . . . . .	tr.	1 to 2 ft.	1 00		
" " <b>Volteana</b> . . . . .	tr.	1 to 2 ft.	1 00		
<b>Vaccinium stamineum</b> , Deerberry or Buckberry . tr.		6 to 12 in.	75	5 00	
<b>Viburnum dentatum</b> , Arrow-wood . . . . .	tr.	1 to 1½ ft.	65	5 00	\$40 00
" " . . . . .	tr.	2 to 2½ ft.	75	6 00	50 00
" " . . . . . select, heavy, tr.		3 to 4 ft.	1 00	8 50	80 00
" <b>lentago</b> , Sheep-berry . . . . .	tr.	1 to 2 ft.	1 00	8 50	
" <b>molle</b> , Soft-leaved Arrow-wood . . . . .	tr.	1 to 1½ ft.	1 00	8 50	
" " . . . . .	tr.	2 to 3 ft.	1 25	10 00	
" <b>opulus</b> , High-bush Cranberry . . . . .	tr.	1 to 1½ ft.	75		
" " . . . . .	tr.	2 to 2½ ft.	1 00	8 50	
" " <b>sterile</b> , Snowball . . . . .	tr.	1 to 2 ft.	1 00	8 50	
<b>Vitex negundo</b> , Chaste Tree . . . . .	tr.	1½ to 2½ ft.	1 00	8 50	
" " . . . . .	tr.	3 to 6 ft.	1 25	10 00	
<b>Weigela</b> . See <b>Diervilla</b> .					
<b>Xanthorrhiza apifolia</b> , Yellow-root . . . . .	2 yrs., tr.		50	4 00	30 00
" " . . . . . strong, 3 yrs., tr.			65	5 00	40 00
" " . . . . . strong, 4 yrs., tr.			75	6 00	50 00
<b>Xolisma ligustrina</b> , ( <i>Andromeda ligustrina</i> ),					
Privet-leaved Andromeda . . . . .	tr.	6 to 10 in.	50	4 50	

# VINES

	Height	Per 10	100	1,000
<b>Actinidia arguta</b> . . . . . tr.	2 to 3 ft.	\$1 00	\$8 75	
" " . . . . . tr.	3 to 4 ft.	1 50		
<b>Akebia quinata</b> , Five-leaved Akebia . . . . . tr.	1 to 1½ ft.	50	4 00	
" " . . . . . tr.	3 to 4 ft.	60	5 00	\$40 00
<b>Ampelopsis</b> . See <b>Parthenocissus</b> .				
<b>Berchemia racemosa</b> , Japanese Supplejack . . . tr.	1 to 2 ft.	1 00	8 50	
<b>Bignonia crucigera</b> ( <i>B. capreolata</i> ), Cross-vine . tr.	1½ to 3 ft.	1 00	8 50	
<b>Bradleya chinensis</b> ( <i>Wistaria chinensis</i> ), Chinese				
<i>Wistaria</i> . . . . . 2 yrs., tr.		1 00	7 50	60 00
" <b>frutescens</b> ( <i>Wistaria frutescens</i> ),				
American <i>Wistaria</i> . . . . . 2 yrs., tr.	2 to 3 ft.	75	6 00	50 00
<b>Brunnichia cirrhosa</b> , Brunnichia . . . . . 2 yrs., tr.		1 00	8 50	
<b>Celastrus articulatus</b> , Japanese Staff Vine . . . tr.	3 to 4 ft.	1 00	7 50	65 00
" <b>scandens</b> , Shrubby or Climbing Bitter-				
sweet . . . . . tr.	3 to 4 ft.	1 00	7 50	65 00
<b>Clematis apiifolia</b> , Parsley-leaved Clematis . 3 yrs., tr.		1 00	8 50	
<b>Dolichos</b> . See <b>Pueraria</b> .				
<b>Euonymus radicans</b> . See under <b>Shrubs</b> .				
<b>Hedera helix</b> , English Ivy . . . . . from pots	6 to 12 in.	50	4 00	35 00
" " . . . . . from pots	1 to 1½ ft.	65	5 00	42 50
<b>Lonicera glaucescens</b> . . . . . tr.	2 to 3 ft.	1 00		
" " . . . . . tr.	3 to 4 ft.	1 25	10 00	
" <b>japonica</b> , Japanese Honeysuckle . 1 yr., tr.		35	2 50	20 00
" <b>sempervirens</b> , Trumpet or Coral Honey-				
suckle . . . . . tr.	2 to 3 ft.	50	4 50	40 00
" " . . . . . tr.	3 to 4 ft.	60	5 00	
" <b>sullivanti</b> , Sullivant's Honeysuckle . . tr.	3 to 4 ft.	1 00	8 50	
For other species, see <b>Shrubs</b> .				
<b>Parthenocissus quinquefolia</b> ( <i>Ampelopsis quin-</i>				
<i>quefolia</i> ), Virginia Creeper . . .				
3 yrs., tr.		50	4 50	
" <b>tricuspidata</b> ( <i>Ampelopsis</i>				
<i>veitchi</i> ), Boston or Japanese				
Ivy . . . . . tr.	6 to 12 in.	75	6 00	
<b>Periploca graeca</b> , Silk Vine . . . . . tr.	2 to 3 ft.	1 00	7 50	
<b>Pueraria thunbergiana</b> ( <i>Dolichos japonicus</i> ),				
Kudzu Vine . . . . . 1 yr., tr.		2 00		
<b>Roses</b> , Climbing. See <b>Shrubs</b> .				
<b>Smlax hispida</b> , Hispid Greenbrier . . . . . tr.	1 to 3 ft.	1 25	10 00	
" <b>rotundifolia</b> , Catbrier . . . . . tr.	1 to 3 ft.	1 25	10 00	
<b>Vitis baileyanus</b> , Bailey's Grape . . . . . tr.	1½ to 2½ ft.	75	6 00	50 00
" <b>cordifolia</b> , Chicken or Frost Grape . . . tr.	1½ to 2½ ft.	75	6 00	50 00
" <b>labrusca</b> , Fox Grape . . . . . tr.	3 to 4 ft.	1 00	8 50	
" " . . . . . tr.	4 to 6 ft.	1 25	10 00	
<b>Wistaria</b> . See <b>Bradleya</b> .				

# Herbaceous Plants, Grasses and Bamboos

	Per 10	100	1,000
<b>Achillea millefolium</b> , Milfoil . . . . . field-grown	\$0 35	\$2 50	\$20 00
<b>Adiantum pedatum</b> , Maidenhair Fern . . . . . field-grown	35	2 50	20 00
<b>Anemone japonica</b> . . . . . field-grown	1 00	7 50	
<b>Aquilegia vulgaris alba</b> . . . . . 2 yrs., field-grown	1 00	7 50	60 00
<b>Artemisia abrotanum</b> , Southernwood . . . . . field-grown	1 00		
<b>Arundinaria auricoma</b> , Golden-variegated Cane . . . . . clumps	3 50	30 00	
" <b>japonica</b> ( <i>Bambusa metake</i> ), Japanese Cane . . . . . strong clumps	3 50	30 00	200 00
" <b>macrosperma</b> , Large American Cane . . . . . strong clumps	2 75	20 00	150 00
" <b>simoni</b> , Large Chinese Cane . . . . . strong clumps	3 50	30 00	
" <b>tecta</b> , Small American Cane . . . . . strong clumps	2 75	20 00	150 00
<b>Arundo donax</b> , Great Reed . . . . . clumps	1 00	7 50	70 00
"    " . . . . . extra heavy clumps	2 00	15 00	100 00
<b>Aspidium</b> . See <b>Dryopteris</b> .			
<b>Aster novæ-angliæ</b> , New England Aster . . . . . field-grown	1 00		
<b>Bamboos</b> . See <b>Arundinaria</b> , <b>Bambusa</b> and <b>Phyllostachys</b> .			
<b>Bambusa palmata</b> , Veiny-leaved Bamboo . . . . . strong clumps	3 50	30 00	200 00
" <b>veitchi</b> . . . . . strong clumps	3 50	30 00	
<b>Belamcanda</b> . See <b>Gemmingia</b> .			
<b>Bocconia cordata</b> , Japanese Bocconia . . . . . field-grown	75	5 00	45 00
<b>Carex japonica</b> . . . . . field-grown	1 00	7 50	
<b>Castalia tuberosa</b> ( <i>Nymphaea tuberosa</i> ), White Water Lily . . . . . strong tubers	2 50	22 50	
<b>Ceratostigma plumbaginoides</b> ( <i>Plumbago larpenæ</i> ), Leadwort . . . . . field-grown	1 00	8 50	
<b>Clematis apiifolia</b> . See <b>Vines</b> .			
<b>Convallaria majalis</b> , Lily-of-the-Valley . . . . . field-grown	50	3 00	27 50
<b>Desmodium penduliflorum</b> . See <b>Lespedeza</b> .			
<b>Dryopteris acrostichoides</b> ( <i>Aspidium acrostichoides</i> ), Christmas Fern . . . . . nursery-grown	75	5 00	45 00
" <b>marginalis</b> ( <i>Aspidium marginale</i> ), Evergreen Wood-Fern . . . . . nursery-grown	75	5 00	
<b>Dugaldia hoopesi</b> . . . . . nursery-grown	1 00	8 50	
<b>Elymus glaucus</b> , Smooth Wild Rye . . . . . field-grown	1 00	7 50	
<b>Eulalia</b> . See <b>Miscanthus</b> .			
<b>Eupatorium purpureum fl. pl.</b> , Double Joe Pye Weed . . field-grown	1 00		
<b>Funkia ovata</b> ( <i>F. lanceolata</i> ) . . . . . field-grown	1 00	7 50	
<b>Gemmingia chinensis</b> ( <i>Belamcanda</i> and <i>Pardanthus chinensis</i> ), Blackberry Lily . . . . . field-grown	50	3 00	
<b>Geranium sanguineum</b> , Crimson Crane's Bill . . . . . field-grown	1 00	8 50	
<b>Helleborus niger</b> , Christmas Rose . . . . . field-grown	1 50		
<b>Helianthemum vulgare</b> , Rockrose . . . . . field-grown	50	4 50	
<b>Helianthus dowellianus</b> , Dowell's Sunflower . . . . . field-grown	1 00	7 50	50 00
" <b>longifolius</b> , Long-leaved Sunflower . . . . . field-grown	1 00	7 50	
<b>Hemerocallis dumortieri</b> , Dwarf Day Lily . . . . . field-grown	1 00	7 50	
" <b>flava</b> , Lemon Lily . . . . . field-grown	50	4 00	
" <b>fulva</b> , Day Lily . . . . . field-grown	50	3 00	27 50
" <b>thunbergi</b> , Thunberg's Day Lily . . . . . field-grown	1 00	7 50	
<b>Hymenocallis occidentalis</b> , Spider Lily . . . . . field-grown	2 00		
<b>Hypericum sphærocarpum</b> , Round-podded St. John's-wort . . . . . field-grown	1 00		
For other species, see <b>Shrubs</b> .			
<b>Iberis sempervirens</b> , Hardy Candytuft . . . . . 1 yr., tr.	50	4 50	40 00
"    " . . . . . 2 yrs., tr.	1 00	8 50	75 00
<b>Iris cristata</b> , Crested Dwarf Iris . . . . . strong, field-grown	50	3 00	25 00
" <b>germanica</b> , Fleur-de-lis . . . . . strong, field-grown	50	3 50	30 00
" <b>lævigata</b> ( <i>I. kämpferi</i> ), Japanese Iris . . . . . strong, field-grown	50	3 00	25 00
" <b>lutescens</b> , Yellow-flowered Iris . . . . . strong, field-grown	1 00	8 00	

## HERBACEOUS PLANTS, GRASSES, ETC., continued

		Per 10	100	1,000
<b>Iris missouriensis</b> , Western Blue Flag . . . . .	strong, field-grown	\$1 00	\$7 50	
“ <b>pumila</b> , European Dwarf Iris . . . . .	strong, field-grown	50	3 00	\$25 00
“ <b>siberica</b> , Siberian Iris . . . . .	strong, field-grown	50	3 00	25 00
“ <b>verna</b> , American Dwarf Iris . . . . .	strong, field-grown	50	3 00	25 00
“ <b>versicolor</b> , Large Blue Flag . . . . .	strong, field-grown	50		
<b>Lespedeza japonica</b> , White-flowered Lespedeza . . . . .	1 yr., tr.	1 00	7 50	60 00
“ “ . . . . .	2 yrs., tr.	1 25	10 00	
“ “ . . . . .	4 yrs., tr.	1 50	12 50	
“ <b>sieboldi</b> ( <i>Desmodium penduliflorum</i> ), Siebold's Lespedeza . . . . .	1 yr., tr.	75	6 00	50 00
“ “ . . . . .	2 yrs., tr.	85	6 75	
“ “ . . . . .	3 yrs., tr.	1 00	7 50	
“ “ . . . . .	4 yrs., tr.	1 25	10 00	
<b>Liriope graminifolia</b> ( <i>Ophiopogon spicatus</i> ), Purple-flowered Snake-beard. strong, field-grown		1 00	8 50	75 00
<b>Lysimachia clethroides</b> . . . . .	strong, field-grown	50	4 00	30 00
“ <b>nummularia</b> , Moneywort . . . . .	4-inch clumps	1 25	10 00	
“ “ . . . . .	1 yr., tr.	50	4 00	30 00
<b>Marshallia grandiflora</b> , Large-flowered Marshallia . . . . .	field-grown	75	5 00	40 00
“ <b>mohri</b> , Mohr's Marshallia . . . . .	field-grown	75	5 00	
“ <b>obovata</b> , Dwarf Marshallia . . . . .	field-grown	75	5 00	
“ <b>trinerva</b> , Broad-leaved Marshallia . . . . .	field-grown	75	5 00	40 00
<b>Miscanthus japonicus</b> ( <i>Eulalia japonica</i> ) . . . . .	clumps	75	5 00	40 00
“ <b>sinensis</b> ( <i>Eulalia gracillima univittata</i> ) . . . . .	clumps	75	5 00	40 00
<b>Monarda didyma</b> , Oswego Tea . . . . .	field-grown	1 00	7 50	
<b>Nelumbo nelumbo</b> ( <i>Nelumbium speciosum</i> ), Indian Lotus . . . . .	strong tubers	5 00	45 00	
<b>Nymphæa</b> . See <b>Castalia</b> .				
<b>Ophiopogon</b> . See <b>Liriope</b> .				
<b>Pachysandra procumbens</b> , Allegheny Mountain Spurge . . . . .	1 yr., tr.	75	5 00	40 00
“ <b>terminalis</b> , Japanese Spurge . . . . .	1 yr., tr.	75	5 00	40 00
<b>Pæonia</b> , Peony, Herbaceous, named varieties, single and double . . . . .	strong plants	1 50	12 50	100 00
“ “ . . . . .	heavy plants, 7 yrs. old	2 00	17 50	
<b>Pardanthus</b> . See <b>Gemmingia</b> .				
<b>Phlox amplifolius</b> , Large-leaved Phlox . . . . .	field-grown	1 50	10 00	
“ <b>decussata</b> , named varieties . . . . .	strong plants	1 00	8 00	75 00
“ <b>hentzi</b> , Southern Moss Pink . . . . .	field-grown	1 50	10 00	
“ <b>subulata</b> , Ground or Moss Pink . . . . .	field-grown	50	4 50	40 00
<b>Phragmites phragmites</b> ( <i>P. communis</i> ), Reed . . . . .	strong roots	1 00	8 50	
<b>Plumbago</b> . See <b>Ceratostigma</b> .				
<b>Phyllostachys aurea</b> , Yellow Bamboo . . . . .	strong clumps, each \$1.			
“ <b>kumasasa</b> ( <i>Bambusa viminialis</i> ), Ruscus-leaved Bamboo . . . . .	strong clumps, ea. 65c.			
“ <b>mitis</b> , Tall Bamboo . . . . .	strong clumps, each \$1.			
“ <b>marliacea</b> , Marliac's Bamboo . . . . .	strong clumps, each \$1.			
<b>Potentilla tridentata</b> , Three-toothed Cinquefoil . . . . .	strong, field-grown	60	5 00	
<b>Ranunculus repens</b> , Creeping Buttercup . . . . .	strong, field-grown	75	5 00	
<b>Rudbeckia</b> , Golden Glow . . . . .	strong, field-grown	75	4 00	
<b>Sedum spectabile</b> , Large-flowered Orpine . . . . .	strong, field-grown	75	5 00	40 00
<b>Solidago rigida</b> , Stiff Goldenrod . . . . .	strong, field-grown	75	5 00	
<b>Stokesia cyanea</b> , Stokes' Blue Aster . . . . .	field-grown	1 00	8 00	
<b>Tanacetum vulgare crispum</b> , Tansy . . . . .	strong, field-grown	50	4 50	40 00
<b>Thymus vulgaris</b> , Thyme . . . . .	strong, field-grown	1 00	8 50	
<b>Tradescantia montana</b> , Spiderwort . . . . .	strong, field-grown	50	4 50	40 00
“ <b>virginica</b> , Virginia Spiderwort . . . . .	strong, field-grown	50	4 50	40 00
<b>Verbena canadensis</b> , Large-flowered hardy Verbena . . . . .	field-grown	1 00	8 50	
<b>Veronica rupestris</b> , Rock Speedwell . . . . .	field-grown	50	4 50	
<b>Yucca filamentosa</b> , Adam's Needle . . . . .	1 yr., tr.	50	3 00	27 50
“ “ . . . . .	2 yrs., tr.	60	4 00	32 50



